



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1"[3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="0"> <tr><td>H1</td><td>H3</td><td>H2</td><td>H4</td></tr> <tr><td>220</td><td>440</td><td>460</td><td>480</td></tr> <tr><td>230</td><td>460</td><td>480</td><td></td></tr> <tr><td>240</td><td></td><td></td><td></td></tr> </table>	H1	H3	H2	H4	220	440	460	480	230	460	480		240							<table border="0"> <tr><td>H1</td><td>H3</td><td>H2</td><td>H4</td></tr> </table> <p>CONTROL TRANSFORMER</p> <p>P/N C2M0350QR</p> <p>350 VA</p>	H1	H3	H2	H4	<p>LISTED 252L E50394 PDG12</p>	<p>P/N C2M0350QR 350 VA 50/60 Hz 130°C CLASS</p>	<table border="0"> <tr><td colspan="2">LV TERMINAL LOCATION</td></tr> <tr><td>24</td><td>0V</td></tr> <tr><td>23</td><td></td></tr> <tr><td>22</td><td></td></tr> <tr><td>X2</td><td>X1</td></tr> <tr><td></td><td>GND</td></tr> </table>	LV TERMINAL LOCATION		24	0V	23		22		X2	X1		GND
H1	H3	H2	H4																																				
220	440	460	480																																				
230	460	480																																					
240																																							
H1	H3	H2	H4																																				
LV TERMINAL LOCATION																																							
24	0V																																						
23																																							
22																																							
X2	X1																																						
	GND																																						

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

			DES: MSARAF
			DATE: 25/06/30
NO.	DATE	BY	REVISION
			SCALE: NTS

SHEET 1 OF 1

EBC2M0350QR