



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1[3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="1"> <tr><th>H1</th><th>H2</th><th>H3</th><th>H4</th><th>H5</th></tr> <tr><td>OV</td><td>240</td><td>415</td><td>480</td><td>600</td></tr> <tr><td></td><td>230</td><td>398</td><td>460</td><td>575</td></tr> <tr><td></td><td>220</td><td>380</td><td>440</td><td>550</td></tr> </table> <p>HV TERMINAL LOCATION MADE IN MEXICO SN</p>	H1	H2	H3	H4	H5	OV	240	415	480	600		230	398	460	575		220	380	440	550	 	 T2 T1 X3 X2 X1 GND	CONTROL TRANSFORMER P/N C2M0150XI 150 VA LISTED 252L E50394 PDG12 TYPE PH 	P/N C2M0150XI 150 VA 50/60 HZ 130°C CLASS LISTED 252L E50394 PDG12 TYPE PH 	LV TERMINAL LOCATION <table border="1"> <tr><td>120</td><td>25</td><td>OV</td></tr> <tr><td>115</td><td>24</td><td></td></tr> <tr><td>110</td><td>23</td><td></td></tr> <tr><td>X3</td><td>X2</td><td>X1</td></tr> <tr><td></td><td></td><td>GND</td></tr> </table>	120	25	OV	115	24		110	23		X3	X2	X1			GND
H1	H2	H3	H4	H5																																				
OV	240	415	480	600																																				
	230	398	460	575																																				
	220	380	440	550																																				
120	25	OV																																						
115	24																																							
110	23																																							
X3	X2	X1																																						
		GND																																						

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M0150XI