

MGB2-L1HE-MLI-U-CA-L-164830 (Order no. 164830)

Components



100465

MGB-E-A-100465

Escape release MGB-E-A...

- ▶ Escape release from the danger zone
- ▶ Signal red door handle
- ▶ Designed for door profiles up to 40 mm
- ▶ Extended actuation axis for thicker doors (available optionally)



157022

MGB2-H-BA1A8-L-157022

Handle module MGB2-H... (door handle, with automatic lockout mechanism, lockable from the inside when escape release is used, door hinge on left)

- ▶ Intelligent bolt tongue
- ▶ Fold-out lockout mechanism
- ▶ Second automatically extending lockout mechanism
- ▶ Lockable from the inside
- ▶ Door handle
- ▶ Door hinge: left, not adjustable

Technical data

Escape release MGB-E-A-100465 (Order no. 100465)



Mechanical values and environment

Installation orientation	any
Mechanical life	1 x 10 ⁶
Ambient temperature	-30 ... 55 °C
Material	
Housing	Die-cast zinc/stainless steel, powder-coated

Miscellaneous

Product version number	V2.0.0
------------------------	--------

Handle modules MGB2-H-BA1A8-L-157022 (Order no. 157022)



Mechanical values and environment

Installation orientation	Door hinge DIN left
Degree of protection	IP65
Ambient temperature	-30 ... 55 °C
Material	
Housing	Fiber glass reinforced plastic, nickel-plated die-cast zinc, stainless steel

Miscellaneous

Additional feature	
	Can be locked using escape release with automatic lockout mechanism

Mechanical values and environment

Installation orientation	Door hinge DIN left
--------------------------	---------------------