

HBA-103037 (Order no. 103037)

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, pushbuttons, membrane pushbuttons, handwheel, selector switch


- ▶ Handwheel, 100 pulses, wear-free magnetic detent mechanism
- ▶ Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- ▶ 1 selector switch, 6 positions (0, Z, X, Y, 4, 5)
- ▶ 6 membrane pushbuttons, 1 NO contact each
- ▶ 1 enabling switch, 3-stage, 2 NO contacts



Notes


- ▶ Function compatible with Siemens MINI BHG

Dimensional drawings



Connection examples



A1
Handrad 100 Impulse
handwheel 100 pulses
RS422 A
A05



S1
NOT-AUS
emergency-stop



S2
Zustimmtaster links
enabling switch left
ZXE



S3
Taste "+"
push button "+"


S4
Taste "-"
push button "-"

S5
Taste "~"
push button "~"

S6
Taste "F1"
push button "F1"


S7
Taste "F2"
push button "F2"

S8
Taste "F3"
push button "F3"




S9	DCBA	
1	0011	0
2	0010	Z
3	0110	X
4	0111	Y
5	0101	4
6	0100	5

S9
Stufenschalter rechts
6 Stellungen
selector switch right
6 positions



Stifte
nicht angeschlossen/
pins
not connected:



Adern 0,14² / wires 0,14²

Steckverbinder
Coninvers Metall, 26-polig, ccw

plug connector
Coninvers metal, 26-pin, ccw