

HBA-096692 (Order no. 096692)

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, membrane keypad, LEDs


- ▶ Membrane keypad can be labeled as required using slide-in strips
- ▶ Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- ▶ LEDs white, color customer-specific using colored keypad membrane
- ▶ 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- ▶ Coiled cable, expandable to 5 m, 35-pin plug connector







Notes

- ▶ For template for slide-in strips, see www.euchner.com (Service)

Dimensional drawings



Connection examples

Ausführung/Artikel	Merkmale				Best. Nr.
	Folientastatur S4 - S17	Drucktaster 2-stufig S2, S3	Zustimmtaster ZXE, 3-stufig S2	NOT-HALT- Ein- richtung S1	
HBA - 096 692 					096 692
HBA - 105 693 					105 693
Verdrahtungsplan	S4 - S17: Folientastatur 	S2 (links) + S3 (rechts): Drucktaster 2-stufig z. B. für Zustimmungsfunktion * 	S2: Zustimmtaster * ZXE 3-stufig links 	S1: NOT-HALT 	

* Schaltwegdiagramm
siehe Seite 6