


HBA-100213 (Order no. 100213)

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel

- ▶ Handwheel, 100 pulses, wear-free magnetic detent mechanism
- ▶ 1 enabling switch, 3-stage, 2 NO contacts
- ▶ Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- ▶ 3 membrane pushbuttons, 1 NO contact each




Dimensional drawings




Connection examples


A1:
Handrad 100 Impulse
handwheel 100 pulses
RS422 / A05



S1:
NOT-AUS
emergency-stop




S2:
ZXE
Zustimmtaster links
enabling push button
left



S3:
Taste links
push button left

S4:
Taste mitte
push button middle

S5:
Taste rechts
push button right



X2/3

X2/2

X2/4

X2/1

X3:2

X3:3

X3:4

X3:1

+24V

Litzen nicht angeschlossen
wires not connected

X1/6	0 V	WH	ws	A
X1/5	UB: +5 V +/-5%	BN	br	B
X1/1	A	GN	gn	C
X1/2	/A	YE	ge	D
X1/3	B	GY	gr	E
X1/4	/B	PK	rs	F
		BU	bl	G
		RD	rt	H
		BK	sw	J
		VT	vt	K
		RDBU	rtbl	M
		GNWH	wsgn	N
		BNGN	brgn	P
		YEWB	wsge	R
		BNYE	gebr	S
		GYWH	wsgn	T
		BNGY	grbr	U
		GYPK	grrs	L
		WHPK	wsrs	V
		BNPK	rsbr	W
		BUWH	wsbl	X
		BNBU	brbl	Y
		RDWH	wsrt	Z
		shield	Schirm	

Steckverbinder:
Burdyn, Metall, 23 polig
connector:
Burdyn, metal, 23 pin

Leitung / cable:
23x0,14²