

MGB-L1HEB-EIA-L-158423 (Order no. 158423)

Components



106051

MGB-E-A2-106051

Escape release module MGB-E... pre-assembled on mounting plate

- ▶ Escape release from the danger zone
- ▶ Mounted on mounting plate
- ▶ Signal red door handle
- ▶ Designed for door profiles up to 40 mm
- ▶ Extended actuation axis for thicker doors (available optionally)



111839

MGB-H-AA1A6-L-111839

Handle module MGB-H... with automatically extending lockout mechanism

- ▶ Intelligent bolt tongue
- ▶ Fold-out lockout mechanism
- ▶ Second automatically extending lockout mechanism
- ▶ Door handle
- ▶ Mounting plate

Technical data

Approvals



Escape release MGB-E-A2-106051 (Order no. 106051)

Mechanical values and environment

Installation orientation	any
Storage temperature	-30 ... 70 °C
Mechanical life	1 x 10 ⁶
Ambient temperature	-30 ... 55 °C
Material	
Housing	Die-cast zinc/stainless steel, powder-coated

Miscellaneous

Product version number	V2.0.0
Additional feature	with mounting plate



Handle modules MGB-H-AA1A6-L-111839 (Order no. 111839)

Mechanical values and environment

Installation orientation	Door hinge DIN left
Storage temperature	-25 ... 70 °C
Degree of protection	IP65
Ambient temperature	-20 ... 55 °C
Material	
Housing	Fiber glass reinforced plastic, nickel-plated die-cast zinc, stainless steel