


## C-MINF09-09X1,0PV01,8-MA-102502 (Order no. 102502)

### Connecting cable with plug connector MR9, 9-pin, 1.8 m


- ▶ MR9 female plug, 9-pin
- ▶ Straight plug connector
- ▶ PVC cable
- ▶ Cable length 1.8 m
- ▶ With flying lead



### Connector assignment

	1	OG
	2	BU
	3	RD/BK
	4	GN/BK
	5	WH
	6	RD
	7	GN/YE
	8	WH/BK
	9	BK

### Dimensional drawings



Dimension A  $\varnothing$  32 Dimension B 64 Dimension C  $\varnothing$  9.8

## Technical data

### Approvals



### Electrical connection values

Rated voltage	300 V
---------------	-------

### Mechanical values and environment

Conductor cross-section	18 AWG
Number of conductors	9
Storage temperature	-40 ... 80 °C
Cable type	straight
Cable diameter	approx. 9.7 mm
Cable length	1.8 m
Drag chain suitability	No
Ambient temperature	-40 ... 80 °C
Material	Sheath PVC

#### Connection 2

Conductor end	Sheath stripped
Connection type	flying lead

#### Connection 1

Connection type	Plug connector BHA9
Connection type	Female plug
Cable outlet	straight
Number of pins	9
Degree of protection	IP67
Plug lock	Screw connection

Material

Plug lock Plastic