


23POL/10M/METALLAUSFUEHRUNG (Order no. 091467)

Extension cable 23-core, straight

- ▶ Extension cable
- ▶ Flange plug connector with socket contacts, 23-pin
- ▶ Plug connector with male contacts, 23-pin
- ▶ Bayonet plug lock
- ▶ PUR cable
- ▶ Cable length 10 m, straight



Dimensional drawings



Steckerbelegung:		
6		
Kontakt Pin	Querschnitt mm ²	Adernfarbe
7	8	9
A	0,34	WH
B	0,34	BN
C	0,14	GN
D	0,14	YE
E	0,14	GY
F	0,14	PK
G	0,34	BU
H	0,34	RD
J	0,34	BK
K	0,34	VT
L	0,14	GYPK
M	0,14	RDBU

Steckerbelegung:		
6		
Kontakt Pin	Querschnitt mm ²	Adernfarbe
7	8	9
N	0,14	GNWH
P	0,14	BNGN
R	0,14	YEWLH
S	0,14	BNYE
T	0,14	GYWH
U	0,14	BNGY
V	0,14	WHPK
W	0,14	BNPK
X	0,14	BUWH
Y	0,14	BNBU
Z	0,14	RDWH

- 1 Cable length
- 2 Flange plug connector with socket contacts
- 3 Plug connector with male contacts
- 4 Conductors: 6x0.34 mm², 17x0.14 mm²; outer screen connected to plug housing
- 5 Plug connector: 23 pins, metal housing

6 Connector assignment:

7 Contact pin

8 Cross-section mm²

9 Conductor coloring