


MGB-L2HB-PNA-L-113989 (Order no. 113989)

Locking set MGB-L2...-PN... (guard locking by solenoid force) without controls or indicators, push-pull plug

- ▶ Guard locking with guard lock monitoring
- ▶ Push-pull plug
- ▶ Pre-assembled on mounting plates
- ▶ Integrated Profinet RT switch
- ▶ Unicode



Profinet connection

Connection via push-pull plugs according to IEC 61076-3-117


Profinet RT switch

Point-to-point topology network structure due to integrated RT switch.

Flexible use as interlocking or guard locking

By means of the corresponding evaluation of the safe device data by the control system, use can be as either interlocking or guard locking (with or without monitoring).

Dimensional drawings



Components



114045

MGB-L2B-PNA-L-114045

Evaluation module and bus module MGB-L2...-PN... (guard locking by solenoid force) without controls or indicators, push-pull plug

- ▶ Guard locking with guard lock monitoring
- ▶ Push-pull plug
- ▶ Pre-assembled on mounting plates
- ▶ Integrated Profinet RT switch
- ▶ Unicode



106221

MGB-H-AA1A2-L-106221

Handle module MGB-H-...

- ▶ Intelligent bolt tongue
- ▶ Lockout mechanism
- ▶ Door handle
- ▶ Mounting plate