

MGB-L1HE-ARA-R-159882 (Order no. 159882)

Components



100464

MGB-H-AA1A1-R-100464

Handle module MGB-H-...

- ▶ Intelligent bolt tongue
- ▶ Lockout mechanism
- ▶ Door handle



100465


MGB-E-A-100465

Escape release MGB-E-A...

- ▶ Escape release from the danger zone
- ▶ Signal red door handle
- ▶ Designed for door profiles up to 40 mm
- ▶ Extended actuation axis for thicker doors (available optionally)

Technical data

Approvals



Handle modules MGB-H-AA1A1-R-100464 (Order no. 100464)

Mechanical values and environment

Installation orientation	Door hinge DIN right
Storage temperature	-25 ... 70 °C
Degree of protection	IP65
Ambient temperature	-20 ... 55 °C
Material	
	Housing Fiber glass reinforced plastic, nickel-plated die-cast zinc, stainless steel

Miscellaneous

Product version number	V3.0.0
------------------------	--------

Escape release MGB-E-A-100465 (Order no. 100465)



Mechanical values and environment

Installation orientation	any
Storage temperature	-30 ... 70 °C
Mechanical life	1 x 10 ⁶
Ambient temperature	-30 ... 55 °C
Material	
	Housing Die-cast zinc/stainless steel, powder-coated