


HBA-079827 (Order no. 079827)

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, foil pushbuttons, selector switch


- ▶ Handwheel, 100 pulses, wear-free magnetic detent mechanism
- ▶ 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- ▶ Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- ▶ 2 selector switches, 5 positions each (X, Y, Z, 4, 5 and 0, 1, 10, 100, 1000)
- ▶ 3 membrane pushbuttons, 1 NO contact each



Dimensional drawings



Connection examples

Ausführung/Artikel	Merkmale					Best. Nr.																																				
	2 Stufenschalter je 5 Positionen S7, S8	3 Folien-drucktaster je 1 Schließer S4, S5, S6	2 Drucktaster 2-stufig S2, S3	NOT-HALT-Einrichtung S1	Handrad 100 Impulse A1																																					
HBA - 079 828 			●		●	079 828																																				
HBA - 079 826 	●		●	●	●	079 826																																				
HBA - 072 936 		●	●	●	●	072 936																																				
HBA - 079 827 	●	●	●	●	●	079 827																																				
Verdrahtungsplan	<p>S8: Inkrementauswahl Stufenschalter rechts 5 Positionen</p> <table border="1"> <thead> <tr> <th>S8</th> <th>DCBA</th> <th>0</th> </tr> </thead> <tbody> <tr><td>1</td><td>0000</td><td>0</td></tr> <tr><td>2</td><td>0001</td><td>1</td></tr> <tr><td>3</td><td>0011</td><td>10</td></tr> <tr><td>4</td><td>0010</td><td>100</td></tr> <tr><td>5</td><td>0110</td><td>1000</td></tr> </tbody> </table> <p>S7: Achswahl Stufenschalter links 5 Positionen</p> <table border="1"> <thead> <tr> <th>S7</th> <th>DCBA</th> <th>X</th> </tr> </thead> <tbody> <tr><td>1</td><td>0000</td><td>X</td></tr> <tr><td>2</td><td>0001</td><td>Y</td></tr> <tr><td>3</td><td>0011</td><td>Z</td></tr> <tr><td>4</td><td>0010</td><td>4</td></tr> <tr><td>5</td><td>0110</td><td>5</td></tr> </tbody> </table> <p>S4: Drucktaster links S5: Drucktaster mitte S6: Drucktaster rechts</p> <p>S2 (links) + S3 (rechts): Drucktaster 2-stufig z. B. für Zustimmungsfunktion *</p> <p>S1: NOT-HALT</p> <p>A1: Handrad</p> 					S8	DCBA	0	1	0000	0	2	0001	1	3	0011	10	4	0010	100	5	0110	1000	S7	DCBA	X	1	0000	X	2	0001	Y	3	0011	Z	4	0010	4	5	0110	5	
S8	DCBA	0																																								
1	0000	0																																								
2	0001	1																																								
3	0011	10																																								
4	0010	100																																								
5	0110	1000																																								
S7	DCBA	X																																								
1	0000	X																																								
2	0001	Y																																								
3	0011	Z																																								
4	0010	4																																								
5	0110	5																																								
<p>* Schaltwegdiagramm siehe Seite 6</p>																																										