DOS05-1LZ



Decora Occupancy Motion Sensor Light Switch, Auto-On or Manual-On, 5A, Residential Grade, Single Pole or 3-Way

Decora Occupancy Motion Sensor Light Switch. 180° PIR automatic-on wallbox sensor, single pole or 3-way when used with a single pole or 3-way switch, 300W LED/CFL, 600W Incandescent/Halogen, 400VA Magnetic Low Voltage, 400VA Electronic Low Voltage, ¼ HP Motor, 5A Resistive, wallplate sold separately. Can be used to comply with the California Title 24, Part 6, Automatic-off Controls and IECC – White with ivory and light almond faceplates included.

- CONVENIENT – Automatically turns lights on/off based on motion. Provides 180° Field-of-View, 900 sq. ft. of coverage
- EASY TO INSTALL – Shallow design easily fits in the wallbox
- FLEXIBLE – Install with or w/out a neutral wire, ground required
- VERSATILE – Can be set for vacancy (manual-on) switching
- PRACTICAL – Perfect for garage, pantry, closet, basement and laundry room
- STYLISH – Easily change the color using DOSKT faceplates available in white, ivory, light almond, gray, black and brown

Color : White, Ivory, Light Almond

UPC Code : 078477572603

Country Of Origin : China

Technical Information

Product Features

Auto-ON/Auto-OFF : Yes

California Title 24 : Yes

Color : White, Ivory, Light Almond

Coverage (Sq.Ft.) : 180°, 900 Sq. Ft

Device Type : Sensor

Grade : Residential

LED Color : Green and Red

Load Rating : 300W LED/CFL, 600W Incandescent/Halogen, 1/4 HP, 400VA ELV, MLV, 5A Resistive

Mounting Type : Wall Switch

Neutral : Optional

Ordering Notes : Includes White, Light Almond and Ivory Color Change Kit

Pole : 3

Sensor Technology : Passive Infrared

Sensor Type : Occupancy

Standards and Certifications : CSA, FCC, Title 24

Style Name : Decora

Switch : Relay

Time Delay : 1M, 5M, 10M, 20M

Voltage : 120 VAC

Wallplate : Not Included

Warranty : 5-Year Limited

Wiring : Ground or Neutral Required

Features and Benefits

- Ideal for pantries, closets, laundry rooms and basements
- Occupancy Sensor Mode default for Automatic ON /Automatic OFF operation. Can switch to Vacancy Mode for Manual ON/Automatic OFF
- Controls LED, CFL, Incandescent, Halogen, Magnetic Low Voltage, Electronic Low Voltage or Motor loads
- Provides 180° Field-of-View, 900 sq. ft. of coverage
- Shallow design easily fits in the wallbox and can replace single pole switch
- Leaded terminals for easier installation
- Can be connected to a Neutral wire if present in the wallbox, or connected to ground wire if no Neutral wire is present in the wallbox
- Interchangeable line and load wires
- Single pole or 3-way when used with a single pole or 3-way switch
- Program settings without removing the wallplate or faceplate
- Low profile design blends in with walls for a discreet appearance
- Ambient light override prevents sensor from switching the lights ON when there is ample natural sunlight
- Adjustable delayed OFF time which can be set for 1 minute, 5 minutes, 10 minutes or 20 minutes
- Adjustable Range (sensitivity) to fit various coverage areas
- Convenient push-button provides Manual OFF light switching at any time
- Can be used to comply with the California Title 24, Part 6, Automatic-off Controls and IECC
- Color change faceplates DOSKT are available in white, ivory, light almond, gray, black, brown
- Five-Year Limited warranty

Patents*

CA2708330
US8981299
US7924155
US11264189
US11815868
MX315382
US11974378

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of

this list. No legal inference should be drawn from the omission of a patent from this list.

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 · FAX: +1-800-824-3005 ·

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52) 5386- 1797 ·

Visit our Website at: www.leviton.com

© 2026 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/company/about-leviton/locations

© 2026 Leviton Manufacturing Co., Inc.