



neutral conductor, leading switching for front mounting, accessory for main and EMERGENCY-OFF switch 3LD2 for 100 - 125A and for main and EMERGENCY-OFF switch 3LD5 UL for 60 A

| Model                                                          |                                                           |
|----------------------------------------------------------------|-----------------------------------------------------------|
| product brand name                                             | SETRON                                                    |
| product designation                                            | Neutral conductor                                         |
| design of the product                                          | accessories for 3LD2 main and EMERGENCY-OFF switches      |
| Accessories                                                    |                                                           |
| accessories                                                    | leading switching for front mounting, for 100 A and 125 A |
| AWG number as coded connectable conductor cross section        |                                                           |
| • minimum                                                      | 12                                                        |
| • maximum                                                      | 1                                                         |
| type of connectable conductor cross-sections for main contacts |                                                           |
| • finely stranded with core end processing                     | 1x (4...50 mm²)                                           |
| • solid or stranded                                            | 1x (4...35 mm²)                                           |
| Mechanical Design                                              |                                                           |
| Net Weight                                                     | 97 g                                                      |
| Approvals Certificates                                         |                                                           |
| Environment                                                    | General Product Approval                                  |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



| General Product Approval     | other                        |
|------------------------------|------------------------------|
|                              |                              |
| <a href="#">Confirmation</a> | <a href="#">Confirmation</a> |
|                              |                              |
| EG-Konf.                     |                              |

| Further information                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                           |
| Information for data generation and storage<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>                            |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>                                                |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9280-0B">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9280-0B</a> |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3LD9280-0B">https://support.industry.siemens.com/cs/ww/en/ps/3LD9280-0B</a>       |

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9280-0B](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9280-0B)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Kennlinien

<https://curves.simaris.siemens.com/curves/3LD9280-0B>



last modified:

9/19/2026 

