



terminal set, 3-pole for flat bars to 32x 20 mm busbar center-to-center spacing 60 mm, UL 508A, cover 8US1922-1GC00 to be ordered separately

| Model                        |                            |
|------------------------------|----------------------------|
| product brand name           | SETRON                     |
| product designation          | Connecting terminal        |
| design of the product        | Accessories                |
| suitability for use          | Flat bars up to 32 x 20 mm |
| product feature halogen-free | Yes                        |

| Connections                                                                   |                 |
|-------------------------------------------------------------------------------|-----------------|
| type of connectable conductor cross-sections of the laminated conductor rails | 3x20 - 15x32 mm |

| Mechanical Design               |          |
|---------------------------------|----------|
| busbar center-to-center spacing | 60 mm    |
| Net Weight                      | 1.317 kg |

| Approvals Certificates |                          |
|------------------------|--------------------------|
| Environment            | General Product Approval |

[Environmental Confirmations](#)

[Environmental Confirmations](#)



| General Product Approval | Test Certificates | other |
|--------------------------|-------------------|-------|
|--------------------------|-------------------|-------|

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)



| other |
|-------|
|-------|

[Miscellaneous](#)

| Further information |
|---------------------|
|---------------------|

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1941-2AA04>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1941-2AA04>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1941-2AA04](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2AA04)

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Kennlinien

<https://curves.siemens.com/curves/8US1941-2AA04>



last modified:

4/4/2025 

