SIEMENS

Data sheet 8US1250-5RM07



busbar system busbar center-to-center spacing 60 mm device adapter, width: 45 mm busbar thickness: 5.10 mm+TT profile for any equipment with 1 mounting rail 35 mm,...25 A outgoing terminals to 1.5...4 mm2 length 182 mm

Model	
product brand name	SENTRON
product designation	Device adapter
design of the product	Accessories
Mechanical Design	
height	182 mm
width of the adapter	45 mm
thickness of the busbar	
• minimum	5 mm
busbar center-to-center spacing	60 mm
Net Weight	159 g

Approvals Certificates

Environment		General Product Approval			
Environmental Con-firmations	Environmental Con-firmations	cURus	UR	EAC	Confirmation


General Product Approval		Test Certificates	other		
CE EG-Konf.	UKCA	Miscellaneous	Confirmation	产品合格 QC PASS	Miscellaneous


Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1250-5RM07
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8US1250-5RM07
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1250-5RM07
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens

Kennlinien
https://curves.simaris.siemens.com/curves/8US1250-5RM07





last modified: 4/4/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens