SIEMENS

Data sheet 8US1210-4AF00



busbar system busbar center-to-center spacing 60 mm device adapter, width: 185 mm busbar thickness: 5.10 mm+TT profile for switchgear up to 630 A 3KA52/53, 3KL52/53 for 3VF4/5, additionally order 8US1927-4AF00 for 3VL1+DI, 3VL4, additionally order 8US1927-4AF01

Model	
product brand name	SENTRON
product designation	Device adapter
design of the product	Accessories
Mechanical Design	
height	320 mm
width of the adapter	184 mm
depth	68 mm
thickness of the busbar	
● minimum	5 mm
busbar center-to-center spacing	60 mm
Net Weight	2.651 kg

Approvals Certificates

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EAC	Confirmation	CE EG-Konf.	UKCA


Test Certificates	Maritime application	other		
Miscellaneous	BUREAU VERITAS	Confirmation	产品合格 QC PASS	Miscellaneous

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1210-4AF00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8US1210-4AF00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1210-4AF00
CAx-Online-Generator
https://www.siemens.com/cax

Subject to change without notice
© Copyright Siemens

Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/8US1210-4AF00



last modified: 4/11/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens