
SAWZALL® BLADES SELECTION GUIDE

1. Identify the material to be cut in the columns below
2. Follow the column down to find **BEST PERFORMANCE** or **ACCEPTABLE PERFORMANCE**
3. Follow the row to the left to identify the appropriate teeth per inch (TPI) or specialty blade
   Note: Fewer TPI cut faster but rougher, while more TPI cut smoother but slower



METAL CUTTING

NEW

THE TORCH™ w/ NITRUS CARBIDE™ SAWZALL® BLADES FOR CAST IRON

FEATURES

- Unique Carbide blend for fastest cutting and longest life
- Large gullets for easy chip ejection
- 7 TPI for fast starts and smooth cuts in cast iron



CUTS 3X LONGER IN CAST IRON*
*VS. EXISTING BLADES w/ CARBIDE TEETH

CARBIDE TEETH

THE TORCH™ w/ NITRUS CARBIDE™ SAWZALL® BLADES FOR CAST IRON

TPI	Length	Material	1 Pack	3 Pack	5 Pack
7	6"		48-00-5261	48-00-5361	48-00-5561
7	9"		48-00-5262	48-00-5362	48-00-5562
7	12"		48-00-5263	48-00-5363	48-00-5563

THE TORCH™ w/ CARBIDE TEETH SAWZALL® BLADES FOR THICK METAL

FEATURES

- Carbide Teeth for 50X Life in thick metal
- 25% More Carbide per Tooth for longer life
- 7 TPI for fast, efficient cutting in thick and extreme metals



CARBIDE TEETH

THE TORCH™ w/ CARBIDE TEETH SAWZALL® BLADES FOR THICK METAL

TPI	Length	Material	1 Pack	3 Pack	5 Pack	25 Pack
7	6"		48-00-5201	48-00-5301	48-00-5501	48-00-8501
7	9"		48-00-5202	48-00-5302	48-00-5502	48-00-8502
7	12" NEW		48-00-5203	48-00-5303	48-00-5503	–

THE TORCH™ BI-METAL SAWZALL® BLADES

FEATURES

- Optimized tooth design provides up to 5X longer life than standard bi-metal blades
- TOUGH NECK™ Ribs strengthen the blade tang and minimize breakage
- GRID IRON™ Honeycomb Pattern increases blade rigidity to resist blade buckling



THE TORCH™ BI-METAL SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)	100 Pack (Bulk)
10	6"		48-00-5712	48-00-8712	–	48-01-2712	48-01-7712
10	9"		48-00-5713	48-00-8713	48-01-2703	48-01-2713	48-01-7713
10	12"		48-00-5714	–	–	48-01-2714	–
14	6"		48-00-5782	48-00-8782	48-01-2762	48-01-2782	48-01-7782
14	9"		48-00-5787	48-00-8787	48-01-2767	48-01-2787	48-01-7787
14	12"		48-00-5794	–	–	48-01-2794	–
18	6"		48-00-5784	48-00-8784	48-01-2764	48-01-2784	48-01-7784
18	9"		48-00-5788	48-00-8788	48-01-2768	48-01-2788	48-01-7788
18	12"		48-00-5789	48-00-8789	48-01-2769	48-01-2789	48-01-7789
24	6"		48-00-5786	–	–	–	–
24	9"		48-00-5790	–	–	–	–
24	12"		48-00-5791	–	–	–	–

STANDARD METAL CUTTING SAWZALL® BLADES

FEATURES

- 3X longer life
- TOUGH NECK™ Ribs strengthen the blade tang and minimize breakage
- For fast flexible cuts



STANDARD METAL CUTTING SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)	50 Pack	100 Pack (Bulk)
10	4"		48-00-5090	–	–	–	–	–
10	6"		48-00-5092	–	–	–	–	48-01-7092
14	4"		48-00-5181	–	–	–	–	–
14	6"		48-00-5182	48-00-8182	48-01-2162	48-01-2182	48-01-6182	48-01-7182

STANDARD METAL CUTTING SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)	50 Pack	100 Pack (Bulk)
14	9"		48-00-5187	–	48-01-2167	48-01-2187	48-01-6187	48-01-7187
18	4"		48-00-5183	–	–	–	–	–
18	6"		48-00-5184	48-00-8184	48-01-2164	48-01-2184	48-01-6184	48-01-7184
18	9"		48-00-5188	–	48-01-2168	48-01-2188	48-01-6188	48-01-7188
18	12"		48-00-5189	–	48-01-2169	–	48-01-6189	48-01-7189
24	4"		48-00-5185	–	–	–	–	–
24	6"		48-00-5186	48-00-8186	–	48-01-2186	48-01-6186	48-01-7186

ICE HARDENED™ METAL CUTTING SAWZALL® BLADES

OVERVIEW

ICE HARDENED™ cryogenic treatment is available on the below blades. Choose ICE HARDENED™ blades when cutting thick or hard materials that cause excessive heat buildup. In extreme applications, ICE HARDENED™ cryogenics will provide up to 50% longer wear life.



ICE HARDENED™ THE TORCH™ BI-METAL SAWZALL® BLADES

TPI	Length	Material	5 Pack	50 Pack	100 Pack (Bulk)
10	6"		48-00-4712	48-01-8712	48-01-9712
10	9"		48-00-4713	48-01-8713	48-01-9713
14	6"		48-00-4782	48-01-8782	48-01-9782
14	9"		48-00-4787	48-01-8787	48-01-9787
18	6"		48-00-4784	48-01-8784	48-01-9784
18	9"		48-00-4788	48-01-8788	48-01-9788

ICE HARDENED™ STANDARD METAL CUTTING SAWZALL® BLADES

TPI	Length	Material	5 Pack	50 Pack	100 Pack (Bulk)
10	6"		–	48-01-6092	–
14	6"		48-00-4182	48-01-8182	48-01-9182
14	9"		48-00-4187	48-01-8187	48-01-9187
18	6"		48-00-4184	48-01-8184	48-01-9184
18	9"		48-00-4188	48-01-8188	48-01-9188
18	12"		48-00-4189	–	–
24	6"		48-00-4186	48-01-8186	48-01-9186

WOOD CUTTING

COMING SOON

THE AX™ w/ CARBIDE TEETH SAWZALL® BLADES FOR CLEAN WOOD & PRUNING

FEATURES

- 3 TPI Design for the fastest cuts in clean wood
- Low Blade Profile designed for root removal
- Durable Carbide Blend to withstand abrasive materials



CARBIDE TEETH

THE AX™ w/ CARBIDE TEETH SAWZALL® BLADES FOR CLEAN WOOD & PRUNING

TPI	Length	Material	1 Pack	3 Pack
3	6"		48-00-5231	48-00-5331
3	9"		48-00-5232	48-00-5332
3	12"		48-00-5233	48-00-5333

THE AX™ w/ CARBIDE TEETH SAWZALL® BLADES FOR NAIL EMBEDDED WOOD

FEATURES

- FANG TIP™ Design for faster plunge cutting
- Cuts wood, nails, screws, shingles, plaster, durock, and more
- 5 TPI for fast, aggressive cuts



CARBIDE TEETH

THE AX™ w/ CARBIDE TEETH SAWZALL® BLADES FOR NAIL EMBEDDED WOOD

TPI	Length	Material	1 Pack	3 Pack	5 Pack	25 Pack
5	6"		48-00-5221	48-00-5321	48-00-5521	–
5	9"		48-00-5226	48-00-5326	48-00-5526	48-00-8526
5	12"		48-00-5227	48-00-5327	48-00-5527	–

THE AX™ BI-METAL SAWZALL® BLADES

FEATURES

- NAIL GUARD™: Ordinary teeth deliver either speed or durability. NAIL GUARD™ solves this trade-off with an aggressive 5 TPI pattern for faster cuts and a unique design that protects against tooth fracture
- FANG TIP™: Ordinary tips bounce or skate on the work piece. FANG TIP™ bites into the wood on first contact
- Thicker, more rigid blade body resists fracturing and bending for maximum durability for up to 5X longer life than standard bi-metal blades



THE AX™ BI-METAL SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)	100 Pack (Bulk)
5	6"		48-00-5021	48-00-8021	48-01-2001	48-01-2021	48-01-7021
5	9"		48-00-5026	48-00-8026	48-01-2006	48-01-2026	48-01-7026
5	12"		48-00-5027	48-00-8027	48-01-2007	48-01-2027	48-01-7027

STANDARD WOOD CUTTING SAWZALL® BLADES

FEATURES

- NAIL GUARD™: Ordinary teeth deliver either speed or durability. NAIL GUARD™ solves this trade-off with an aggressive 5 TPI pattern for faster cuts and a unique design that protects against tooth fracture
- FANG TIP™: Ordinary tips bounce or skate on the work piece. FANG TIP™ bites into the wood on first contact
- For fast flexible cuts



STANDARD WOOD CUTTING SAWZALL® BLADES

TPI	Length	Material	5 Pack	25 Pack	10 Pack (Bulk)	25 Pack (Bulk)	50 Pack	100 Pack (Bulk)
5	6"		48-00-5035	–	48-01-2015	48-01-2035	48-01-6035	48-01-7035
5	9"		48-00-5036	48-00-8036	48-01-2016	48-01-2036	48-01-6036	48-01-7036
5	12"		48-00-5037	–	48-01-2017	48-01-2037	48-01-6037	48-01-7037